

057	000.3	072	050	0011
058	000.4	071	051	0014
059	000.5	071	052	0016
060	000.4	071	052	0012
061	000.3	070	052	0010
062	000.2	070	052	0007
063	000.7	069	053	0022
064	000.5	070	055	0017
065	000.5	070	056	0017
066	000.6	070	056	0019
067	000.4	070	056	0012
068	000.6	071	056	0018
069	000.1	072	057	0004
070	000.4	073	055	0013
071	000.2	074	055	0007
072	000.0	075	053	0000
073	000.1	076	051	0005
074	000.1	076	051	0005
075	000.0	077	049	0000
076	000.0	077	049	0000
077	000.0	077	049	0000
078	000.0	077	049	0002
079	000.0	076	049	0000
080	000.0	075	050	0001
081	000.0	074	050	0000
082	000.6	074	051	0018
083	000.2	074	051	0008
084	000.3	073	051	0009
085	000.2	072	051	0008
086	000.6	072	051	0019
087	000.6	071	051	0019
088	001.1	071	052	0035
089	001.0	071	052	0032
090	000.6	072	052	0020
091	000.5	073	051	0017
092	000.4	074	051	0012
093	000.2	074	051	0008
094	000.3	075	051	0009

Avg: 000.3  
 Max: 001.2  
 Min: 000.0

Post-INIT.

Start Date/Time

7/9/18 5:00pm

End Date/Time

7/13/18 3:42

Address

Evergreen  
Elementary

6, 7, 8<sup>th</sup> Grade Classrooms

Location of Instrument

CRN-Wade

Tested By

WJG

086	008.1	064	064	0243
087	008.3	064	064	0249
088	006.9	064	064	0208
089	006.7	064	064	0202
090	006.8	064	064	0205

Avg: 009.8  
 Max: 017.3  
 Min: 005.6

Pre-mit

Start Date/Time

7/6/18 4pm

End Date/Time

7/10/18 10:22 am

Address

8882 Silverton RD

NE Silverton 97381

Location of Instrument  
 Basement Central Hallway

Kitchen/Lounge

Tested By

106	005.4	063	064	0164
107	006.1	065	064	0184
108	006.9	065	066	0208
109	007.0	065	066	0242
110	008.2	065	066	0246
111	009.7	065	066	0291
112	009.4	065	064	0282
113	009.1	066	063	0275

Avg: 008.8  
 Max: 017.3  
 Min: 001.4

Pre-mit

Start Date/Time

July 6th 4pm

End Date/Time

July 11, 18 9:44 am

Address

8832 Silverton Rd NE

Silverton OR 97381

Location of Instrument  
 Central Hallway

Kitchen/Basement

Tested By

TWP

106	002.1	063	072	0097
107	004.6	063	072	0161
108	005.4	063	071	0192
109	005.0	063	072	0175
110	006.4	063	072	0227
111	006.5	063	072	0193
112	006.5	063	070	0230
113	006.0	063	070	0212

Avg: 007.1  
 Max: 012.0  
 Min: 001.3

Pre-mit

Start Date/Time

July 6th 4pm

End Date/Time

July 11th 18 9:48 am

Address

8832 Silverton Rd NE

Silverton OR 97381

Location of Instrument  
 Central Hallway Basement

Storage by Electric Panel

Tested By

TWP

Start Date/Time

July 6th 4pm

End Date/Time

7/10/18 10:27 am

Address

8832 Silverton Rd NE

Silverton, OR 97381

Location of Instrument  
 Basement Central Hallway

Storage Room

Tested By

TWP

033	000.4	065	074	0014
034	000.4	065	074	0016
035	000.4	065	074	0016
036	000.2	065	074	0009
037	000.5	065	074	0019
038	000.7	065	074	0026
039	000.7	065	073	0027
040	001.3	065	072	0047
041	000.8	065	070	0031
042	000.6	065	070	0023
043	000.2	065	070	0009
044	000.4	065	070	0016
045	000.6	065	071	0023
046	000.4	065	072	0014

Avg: 000.4  
 Max: 001.3  
 Min: 000.0

*Post-MIT*

Start Date/Time

7/11/18 4:30pm

End Date/Time

7/13/18 3:15

Address

Central Howell

Basement

Storage Room

Location of Instrument

CRN - wood

Tested By

032	000.1	067	066	0005
033	000.5	067	066	0017
034	000.1	067	067	0004
035	000.6	067	067	0019
036	000.2	067	067	0008
037	000.5	067	067	0017
038	000.6	067	067	0019
039	000.6	067	067	0019
040	000.8	067	066	0024
041	000.9	067	066	0027
042	000.8	067	066	0026
043	000.8	067	066	0025
044	000.4	067	066	0013
045	000.4	067	066	0014
046	000.5	067	066	0017

Avg: 000.4  
 Max: 001.1  
 Min: 000.0

*Post-MIT*

Start Date/Time

7/11/18 4:30pm

End Date/Time

7/13/18 3:05

Address

Central Howell

Kitchen - Basement

Location of Instrument

CRN - wood

Tested By

142	000.5	073	051	0019
143	000.4	073	051	0015
144	000.9	073	050	0029
145	000.4	073	049	0016
146	000.6	073	049	0021
147	000.4	073	049	0014
148	000.2	073	049	0009
149	000.0	073	050	0001
150	000.2	073	049	0007
151	000.2	073	049	0007
152	000.1	073	049	0004
153	000.2	072	048	0007
154	000.4	072	048	0016
155	000.1	072	048	0004
156	000.0	072	048	0001
157	000.4	072	048	0013
158	000.9	072	047	0031
159	000.4	072	048	0015
160	000.2	072	047	0009
161	000.2	072	047	0009

Avg: 001.4  
 Max: 004.9  
 Min: 000.0

*Pre-mit*

Start Date/Time

End Date/Time

7-20-18 10:45AM

Address

714 Schlador St.  
Silverton, OR 97381

Location of Instrument

Boys locker room  
office

Tested By

Sage

018	000.0	072	044	0000
019	000.0	072	042	0000
020	000.0	073	042	0000
021	000.0	073	042	0000
022	000.0	074	041	0000
023	000.0	075	041	0000
024	000.1	077	039	0003
025	000.0	079	036	0000
026	000.0	079	037	0000
027	000.0	077	039	0002
028	000.0	076	040	0000
029	000.0	075	040	0000
030	000.0	073	040	0000
031	000.3	072	041	0010
032	000.1	072	041	0003
033	000.0	071	041	0000
034	000.0	070	041	0002
035	000.1	070	041	0003
036	000.0	069	041	0000
037	000.0	068	041	0000
038	000.0	068	041	0000
039	000.0	068	041	0000
040	000.0	069	041	0000

Avg: 000.0  
 Max: 000.3  
 Min: 000.0

*Post-mit.*

Start Date/Time

End Date/Time

7/18/18 6:15pm

7/20/18 10:15

Address

Room #16  
Silverton Middle

Location of Instrument

CRN

Tested By

054	001.7	073	052	0033
055	001.8	073	052	0057
056	000.9	072	052	0029
057	001.4	073	052	0046
058	001.5	072	052	0047
059	001.2	072	052	0038
060	001.4	072	052	0044
061	001.3	072	052	0041
062	001.3	071	053	0041
063	001.4	071	053	0044
064	001.2	072	053	0039
065	001.4	072	055	0044
066	001.7	072	053	0053
067	001.4	072	053	0044
068	001.4	073	052	0044
069	001.3	073	050	0043
070	001.3	074	049	0042
071	001.0	075	049	0033
072	000.9	075	048	0030
073	001.2	075	048	0040
074	000.8	075	049	0026
075	000.5	075	050	0017
076	001.0	074	051	0034
077	001.0	074	051	0034
078	000.7	074	052	0022
079	000.2	074	052	0007
080	000.5	073	052	0018
081	001.0	074	051	0034
082	000.6	074	051	0021
083	000.7	073	051	0022
084	000.8	073	051	0025
085	000.6	073	050	0019
086	001.1	073	050	0036
087	000.9	072	050	0028
088	000.8	072	051	0027
089	000.9	072	050	0029
090	001.3	072	050	0041

Avg: 001.2  
 Max: 002.1  
 Min: 000.2

*pre-mit.*

Start Date/Time

7-13-18 3:45pm

End Date/Time

7-17-18 10:42 am

Address

714 Schlador St.  
 Silverton OR 97381

Location of Instrument

Girls Locker Room  
 office  
 Tested By

053	000.8	072	058	0028
054	001.5	072	058	0050
055	001.9	072	057	0064
056	001.4	072	057	0047
057	001.3	072	057	0045
058	001.8	072	057	0060
059	001.8	072	057	0058
060	001.9	072	057	0063
061	001.8	072	058	0059
062	002.1	072	058	0070
063	001.7	072	057	0056
064	002.4	072	058	0080
065	002.1	072	057	0070
066	002.6	072	057	0085
067	002.1	072	057	0069
068	001.3	073	057	0043
069	001.3	072	057	0044
070	001.8	072	057	0058
071	002.0	072	057	0067
072	001.3	072	057	0042
073	001.6	073	056	0052
074	001.6	072	057	0052
075	001.1	073	057	0037
076	000.7	073	057	0024
077	001.2	072	058	0041
078	001.2	073	058	0041
079	000.9	073	058	0031
080	001.3	073	058	0042
081	001.3	073	058	0043
082	001.2	073	058	0039
083	001.1	073	057	0037
084	001.8	073	057	0058
085	001.5	073	056	0051
086	001.3	073	056	0045
087	001.4	073	055	0048
088	001.1	073	055	0037
089	001.1	073	055	0038
090	000.9	073	055	0032

Avg: 001.3  
 Max: 002.6  
 Min: 000.4

*pre-mit*

Start Date/Time

7-13-18 3:45pm

End Date/Time

7-17-18 10:39 am

Address

714 Schlador St.  
 Silverton OR 97381

Location of Instrument

Boys Locker Room  
 office  
 Tested By

055 000.4 080 042 0014  
 056 000.1 079 042 0004  
 057 000.1 078 044 0005  
 058 000.1 078 045 0004  
 059 000.2 076 046 0006  
 060 000.2 076 046 0007  
 061 000.5 075 046 0015  
 062 000.3 075 046 0010  
 063 000.2 074 046 0007  
 064 000.8 075 046 0026  
 065 000.2 075 045 0007  
 066 000.7 075 045 0023  
 067 000.6 075 044 0020  
 068 000.7 076 044 0021  
 069 000.7 077 044 0022  
 070 000.5 078 042 0016  
 071 000.1 079 042 0004  
 072 000.1 080 042 0003  
 073 000.2 082 042 0006  
 074 000.1 085 040 0003  
 075 000.2 086 040 0006  
 076 000.3 085 041 0010  
 077 000.3 084 042 0010  
 078 000.4 082 042 0012  
 079 000.2 081 041 0007  
 080 000.2 080 042 0007  
 081 000.0 079 042 0001  
 082 000.0 078 044 0000  
 083 000.3 077 044 0011  
 084 000.0 076 044 0002  
 085 000.1 076 044 0005  
 086 000.1 075 044 0003  
 087 000.7 074 045 0021  
 088 000.5 074 046 0015  
 089 000.4 074 045 0014  
 090 000.4 074 045 0014

Avg: 000.2  
 Max: 000.8  
 Min: 000.0

*Pre mit*

Start Date/Time

7-13-18 3:45pm

End Date/Time

7-17-18 11:01am

Address

714 Schlador St

Silverton OR 97381

Location of Instrument

Room 16

Tested By

054 000.2 076 048 0009  
 055 000.2 076 047 0008  
 056 000.4 075 047 0014  
 057 000.2 074 048 0009  
 058 000.3 074 048 0012  
 059 000.4 073 049 0015  
 060 000.5 072 050 0020  
 061 000.7 072 050 0026  
 062 000.6 071 050 0021  
 063 001.2 071 050 0045  
 064 001.2 072 049 0044  
 065 001.8 074 047 0063  
 066 001.5 075 046 0054  
 067 001.4 075 045 0049  
 068 001.6 074 046 0056  
 069 001.0 075 047 0035  
 070 001.0 075 047 0038  
 071 000.5 075 047 0020  
 072 000.4 075 047 0015  
 073 000.2 076 048 0010  
 074 000.4 077 048 0017  
 075 000.2 076 049 0010  
 076 000.4 077 049 0015  
 077 000.2 077 049 0010  
 078 000.5 076 048 0019  
 079 000.3 076 047 0011  
 080 000.4 076 048 0015  
 081 000.1 075 049 0005  
 082 000.8 074 048 0030  
 083 000.5 074 048 0020  
 084 000.9 073 048 0032  
 085 001.3 073 048 0047  
 086 001.3 072 049 0047  
 087 001.4 072 049 0051  
 088 002.0 071 049 0070  
 089 001.2 074 047 0044  
 090 001.2 076 046 0042

Avg: 000.7  
 Max: 002.0  
 Min: 000.1

*Pre mit*

Start Date/Time

7-13-18 3:45pm

End Date/Time

7-17-18 10:52am

Address

714 Schlador St

Silverton OR 97381

Location of Instrument

Room 15

Tested By

040 001.5 069 047 0048  
 041 002.7 068 048 0083  
 042 002.3 069 049 0071  
 043 002.1 069 050 0065  
 044 001.5 070 050 0046  
 045 001.9 070 050 0058  
 046 001.9 071 050 0058  
 047 001.7 072 051 0053  
 048 001.4 073 050 0045  
 049 000.9 074 050 0029  
 050 000.5 074 049 0016  
 051 001.3 074 048 0042  
 052 000.6 075 048 0019  
 053 000.9 073 049 0029  
 054 000.4 074 049 0014  
 055 000.3 074 049 0011  
 056 000.3 074 049 0012  
 057 000.3 073 048 0010  
 058 000.6 073 048 0019  
 059 000.8 072 047 0025  
 060 001.4 071 047 0043  
 061 001.2 071 047 0037  
 062 001.2 070 047 0038  
 063 001.9 070 052 0058  
 064 001.2 069 052 0037  
 065 001.0 069 052 0031  
 066 000.4 070 052 0013

043 001.7 071 048 0053  
 044 000.8 071 048 0025  
 045 001.1 072 048 0034  
 046 000.7 073 048 0022  
 047 001.0 074 049 0030  
 048 000.7 074 047 0022  
 049 000.6 074 044 0019  
 050 000.6 074 044 0020  
 051 000.4 074 042 0014  
 052 000.0 074 046 0001  
 053 000.0 074 044 0001  
 054 000.0 074 045 0002  
 055 000.0 074 045 0000  
 056 000.0 074 045 0001  
 057 000.0 073 045 0000  
 058 000.2 073 044 0008  
 059 000.7 072 045 0022  
 060 000.6 071 045 0020  
 061 000.4 071 045 0013  
 062 001.0 070 045 0030  
 063 001.1 070 050 0034  
 064 001.0 070 049 0031  
 065 000.8 070 048 0024  
 066 000.7 070 050 0021

Avg: 000.4  
 Max: 001.7  
 Min: 000.0

Pre mit.

Avg: 000.8  
 Max: 002.7  
 Min: 000.0

Pre mit.

Start Date/Time

Start Date/Time

7-13-18 3:45 pm

7-13-18 3:45 pm

End Date/Time

11:00 am 7-16-18

End Date/Time

11:00 am 7-16-18

Address

714 Schlador St

Address

714 Schlador St.

Silverton OR 97381

Location of Instrument

Room 25

Silverton OR 97381

Location of Instrument

23

Tested By

030	000.0	070	040	0000	000.0	069	042	0000
031	000.0	069	040	0000	000.0	069	042	0000
032	000.0	068	041	0000	000.0	068	042	0000
033	000.0	067	040	0000	000.0	067	042	0000
034	000.0	066	041	0000	000.0	066	044	0000
035	000.0	065	042	0000	000.0	066	045	0000
036	000.0	065	042	0000	000.0	065	045	0000
037	000.0	064	042	0000	000.0	065	046	0000
038	000.0	063	045	0000	000.0	065	047	0000
039	000.0	063	047	0000	000.0	065	048	0000
040	000.0	064	047	0000	000.0	064	048	0000
041	000.1	065	046	0003				

Avg: 000.0  
 Max: 000.2  
 Min: 000.0

Post mit

Post mit

Start Date/Time

7/18/18 5:15 pm

Date/Time

18/18 5:15 pm

End Date/Time

7/20/18 10:15

Date/Time

18-18 10:15

Address

Room #24

Room middle

Silverton middle

Room #25

Location of Instrument

CRN

Location of Instrument

Silverton middle

Tested By

By

CRN